

HyperTerminal: Setup for Remote Access to HSU Servers

- Make sure your modem is connected to a phone line and the HyperTerminal software is installed on your computer.
- Start HyperTerminal.
- The first time you open the program, you will be prompted to create a New Connection. In the **Name** field, type in **HSU1** and click OK.
- In the **Phone Number** field type the number (707) 826-6704 for all modem speeds.

- In the next window that appears (COM1 Properties) the **Bits per second** will depend on the speed of your modem. (If the COM1 Properties does not show up, click the **Modify** button, then the **Phone Number** tab, then the **Configuration** button, and finally the **Connection** tab.

- Enter the following settings in the appropriate fields:
 - Data Bits: **7 bit**
 - Parity: **even** or **space**
 - Stop Bits: **1**

- Now you should see a blank HyperTerminal window. To dial-up to HSU, select **Connect** from the **Call** menu.

- A progress window will come up for you to monitor the dial-up process. If your speakers are turned on, you may hear a series of beeps and noises. Once these stop, wait a few seconds and then press the **Enter** key. Repeat until text shows up on your screen.

- When you are connected, text will begin to scroll down the screen ending with "**PACX: Service Request?**". The computer is prompting you to enter the server you would like to connect to. Type in **axe.humboldt.edu** (email server) **sorrel.humboldt.edu** (web server) or **redwood.humboldt.edu** (instructional server) and press "return or enter".

- The screen will look just as it does when you login from campus. Type in your user id and your password.

- When you are ready to logout, type **exit** at the system prompt. You will be brought back to the "PACX: Service Request?" prompt. Type **bye**. You will receive a NO CARRIER message in the Terminal Window.

- To save this Session Profile, in the **File** menu select **Save**. Click on OK and when the dialogue box comes up asking you to save the file in the HyperTerminal Folder. The next time you want to dial-up to HSU, rather than clicking on the **hyperterm.exe** icon, you will click on the name of the Session File ñ i.e. **HSU1.ht** ñ and then follow steps above to connect.